

9097250 TOSHIBA (DISCRETE/OPTO)

56C 07787 D Y-33-15

**2SD797**

SILICON NPN TRIPLE DIFFUSED TYPE

HIGH POWER AMPLIFIER APPLICATIONS.  
HIGH POWER SWITCHING APPLICATIONS.  
DC-DC CONVERTER APPLICATIONS.  
REGULATOR APPLICATIONS.

## FEATURES:


- High Power Dissipation :  $P_C=200W$  ( $T_c=25^\circ C$ )
- High Collector Current :  $I_C=30A$

## MAXIMUM RATINGS (Ta=25°C)

CHARACTERISTIC	SYMBOL	RATING	UNIT
Collector-Base Voltage	$V_{CB0}$	100	V
Collector-Emitter Voltage	$V_{CE0}$	80	V
Emitter-Base Voltage	$V_{EB0}$	7	V
Collector Current	$I_C$	30	A
Base Current	$I_B$	8	A
Collector Power Dissipation (Ta=25°C)	$P_C$	200	W
Junction Temperature	$T_j$	175	°C
Storage Temperature Range	$T_{stg}$	-65~175	°C

## INDUSTRIAL APPLICATIONS

Unit in mm



JEDEC TO - 3  
EIAJ TC - 3, TB - 3  
TOSHIBA 2 - 21A 1A


Mounting Kit No. AC73  
Weight : 12.9g

## ELECTRICAL CHARACTERISTICS (Ta=25°C)


CHARACTERISTIC	SYMBOL	TEST CONDITION	MIN.	TYP.	MAX.	UNIT	
Collector Cut-off Current	$I_{CBO}$	$V_{CB}=100V, I_E=0$	-	-	100	$\mu A$	
Emitter Cut-off Current	$I_{EBO}$	$V_{EB}=7V, I_C=0$	-	-	100	$\mu A$	
Collector-Emitter Breakdown Voltage	$V_{(BR)CEO}$	$I_C=50mA, I_B=0$	80	-	-	V	
DC Current Gain	$h_{FE(1)}$ (Note)	$V_{CE}=5V, I_C=1A$	60	-	200		
	$h_{FE(2)}$	$V_{CE}=5V, I_C=15A$	10	-	-		
Collector-Emitter Saturation Voltage	$V_{CE(sat)}$	$I_C=15A, I_B=3A$	-	0.6	1.5	V	
Base-Emitter Saturation Voltage	$V_{BE(sat)}$		-	1.4	2.5	V	
Transition Frequency	$f_T$	$V_{CE}=5V, I_C=1A$	-	1.5	-	MHz	
Collector Output Capacitance	$C_{ob}$	$V_{CB}=10V, I_E=0, f=1MHz$	-	400	-	pF	
Switching Time	Turn-on Time		-	2.5	-	$\mu s$	
	Storage Time		$I_{B1} = -I_{B2} = 0.5A$	-	6		-
	Fall Time		$DUTY\ CYCLE \leq 1\%$	-	1.5		-

TOSHIBA CORPORATION


STATIC CHARACTERISTICS




$I_C - V_{CE}$  (LOW VOLTAGE REGION)




$h_{FE} - I_C$



$I_C - V_{BE}$



$V_{CE(sat)} - I_C$






TOSHIBA CORPORATION

9097250 TOSHIBA (DISCRETE/OPTO)

56C 07789

DT-33-15

**2SD797**



TOSHIBA CORPORATION

This datasheet has been downloaded from:

[www.DatasheetCatalog.com](http://www.DatasheetCatalog.com)

Datasheets for electronic components.